

LM1 LENSES FOR CREE MC-E LEDs




- Specially designed for Cree MC-E series of LEDs.
- Special care taken to make a uniform white or warm white illumination. Lenses work well with other colors, too.
- Lens material optical grade PMMA. Allows use of high current and temperature conditions
- Best available optical efficiency, more than 90%, with an extremely good cutoff of light
- Fastening of holden to PCB with appropriate adhesive, e.c. epoxy or polyurethane based. NOTE: DO NOT USE SUPERGLUE.

LENS TYPES


NAME	ORDERING CODE	FWHM Angle
LM1 DIFFUSER	LM1-D (n. F10627)	±10°
LM1 MEDIUM	LM1-M (n. 10453)	±12.5°
LM1 RECTANGULAR	LM1-REC (n. 10511)	±19° x ±12°

MEASUREMENT DATA

Relative Intensity of LM1-D




Relative Intensity of LM1-M



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Relative Intensity of LM1-REC



EULUMDAT & IES FILES AVAILABLE BY REQUEST

DRAWINGS



© Ledil Oy – PRELIMINARY - Subject to change without prior notice

Ledil Oy
Tehdaskatu 13
FIN-24100 SALO, Finland

www.ledil.com
email: ledil@ledil.com
FAX: +358-2-733 8001

2008-12-01